

ANODE IDENTIFICATION CHART




How to identify & specify your anode:

Darglow manufactures and supplies an increasing number of anodes to suit various propeller ranges.

Please follow the simple points opposite in order to identify the correct anode to suit your propeller:

1. Look through this guide to locate the pages containing your 'brand' or make of anode.
2. Measure points 'A' and 'B' to check that the dimensions correspond with those in the table above it's picture - and that they match those of your anode and propeller. NB: Exceptions will be indicated.
3. When contacting Darglow, please specify the 'Type' and 'New code' as detailed in the table, See illustrated example below.

VERSION #1 06-11



Quote references from this section when ordering:

Example:

Brand FeatherStream New code: FSL01 (Previous name: FSL Disc) Inner cavity dia 'A' = 41mm Hole centres 'B' = 52mm

ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: FeatherStream **New code:** FSL01 (Previous name: FSL Disc) **Inner cavity dia 'A' = 41mm** **Hole centres 'B' = 52mm**

Brand: FeatherStream **New code:** FSS02 (Previous name: FSS Disc) **Inner cavity dia 'A' = 32mm** **Hole centres 'B' = 45mm**

Brand: FeatherStream **New code:** FSL03 (Previous name: FSL) **Inner cavity dia 'A' = 51mm** **Hole centres 'B' = 53mm**



Brand: FeatherStream **New code:** FSS04 (Previous name: FSS) **Inner cavity dia 'A' = 30mm** **Hole centres 'B' = 45mm**

SHEET #2

ANODE IDENTIFICATION CHART



Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Flex-O-Fold **New code:** FF01 (Previous name: 3 Blade) **Inner cavity dia 'A' = 31mm** **Hole centres 'B' = 45mm**



OUTER VIEW INNER VIEW

Brand: Flex-O-Fold **New code:** FF02 (Previous name: 2 Blade Set) **Outer dia 'A' = 31mm** (no 'B' dimension required)


OUTER VIEW INNER VIEW

Brand: Max-Prop **New code:** MP01 (Previous name: 2 Blade) **Inner cavity dia 'A' = 13mm** **Hole centres 'B' = 28mm**

OUTER VIEW INNER VIEW

Brand: Max-Prop **New code:** MP02 (Previous name: A63 Old Style) **Inner cavity dia 'A' = 39mm** **Hole centres 'B' = 47mm**

OUTER VIEW INNER VIEW


SHEET #3

ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.


Brand: Max-Prop

New code: MP03 (Previous name: A63 Intermediate) Inner cavity dia 'A' = 42mm Hole centres 'B' = 50mm




Brand: Max-Prop

New code: MP04 (Previous name: A63 New Style) Inner cavity dia 'A' = 39mm Hole centres 'B' = 44mm




Brand: Max-Prop

New code: MP05 (Previous name: A63 Adapted) Inner cavity dia 'A' = 39mm Hole centres 'B' = 44mm



Brand: Max-Prop

New code: MP06 (Previous name: B70 Multi-fit) Inner cavity dia 'A' = 43mm Hole centres 'B' = 49mm



NB: Measure the distance between the hole centres of any two of the larger holes

SHEET #4

ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Max-Prop New code: MP07 (Previous name: B70 Adapted) Inner cavity dia 'A' = 43mm Larger hole centres 'B' = 49mm

OUTER VIEW INNER VIEW

NB: Measure the distance between the hole centres of any two of the larger holes

Brand: Max-Prop New code: MP08 (Previous name: C83 Multi-fit) Inner cavity dia 'A' = 47mm Larger hole centres 'B' = 60mm

OUTER VIEW INNER VIEW

NB: Measure the distance between the hole centres of any two of the larger holes

Brand: Max-Prop New code: MP09 (Previous name: C83 Adapted) Inner cavity dia 'A' = 47mm Larger hole centres 'B' = 60mm

OUTER VIEW INNER VIEW

NB: Measure the distance between the hole centres of any two of the larger holes

Brand: Max-Prop New code: MP10 (Previous name: D100 Anode) Inner cavity dia 'A' = 53mm Hole centres 'B' = 73mm

OUTER VIEW INNER VIEW

SHEET #5

ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Max-Prop **New code:** MP11 (Previous name: E125 Anode) **Inner cavity dia 'A' = 81mm** **Hole centres 'B' = 86mm**

Brand: Max-Prop **New code:** MP12 (Previous name: Sail drive Rope Cutter) **Inner dia 'A' = 45mm** (no 'B' dimension required)

Brand: Max-Prop **New code:** MP13 (Previous name: Sail drive NOT Rope Cutter) **Inner dia 'A' = 45mm** (no 'B' dimension required)

Brand: Max-Prop **New code:** MP14 (Previous name: Sail Drive E70) **Inner dia 'A' = 61mm** (no 'B' dimension required)

SHEET #6